

Chapter 12

The Red Storm Architecture and Early Experiences with Multi-Core Processors

James L. Tomkins

Sandia National Laboratories, USA

Ron Brightwell

Sandia National Laboratories, USA

William J. Camp

Sandia National Laboratories, USA

Sudip Dosanjh

Sandia National Laboratories, USA

Suzanne M. Kelly

Sandia National Laboratories, USA

Paul T. Lin

Sandia National Laboratories, USA

Courtenay T. Vaughan

Sandia National Laboratories USA

John Levesque

Cray Inc., USA

Vinod Tipparaju

Oak Ridge National Laboratory, USA

ABSTRACT

The Red Storm architecture, which was conceived by Sandia National Laboratories and implemented by Cray, Inc., has become the basis for most successful line of commercial supercomputers in history. The success of the Red Storm architecture is due largely to the ability to effectively and efficiently solve a wide range of science and engineering problems. The Cray XT series of machines that embody the Red Storm architecture have allowed for unprecedented scaling and performance of parallel applications spanning many areas of scientific computing. This chapter describes the fundamental characteristics of the architecture and its implementation that have enabled this success, even through successive generations of hardware and software.

DOI: 10.4018/978-1-4666-0906-8.ch012

Copyright © 2012, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

als (RFQ) that essentially prescribed in detail the architecture for a new massively parallel computer, dubbed Red Storm. Sandia received proposals from two potential suppliers, but neither proposal met the requirements as laid out in the Statement Of Work (SOW). However, one of the proposers, Cray, Inc., indicated a willingness to engineer a system to Sandia's architectural specifications and within the cost envelope. Subsequently, Sandia awarded the development contract to Cray, and Sandia and Cray then jointly produced the Red Storm supercomputer system—going from architectural specification to first hardware deployment in approximately 30 months. This extremely short development time was largely enabled by the simple design for scalability and for scalable manufacturability promulgated by Sandia in the architectural specifications.

As part of the contract, Cray was required to develop a commercial product based on the Red Storm architecture. In 2005, Cray introduced the XT3 supercomputing system. Subsequent versions (XT4 and XT5) have been widely deployed in the high-performance computing market; and in 2008, the Cray XT product line became the most successful supercomputer in history with over one thousand cabinets sold. Although national security was a key target, the Red Storm architecture has proven to be effective at solving a wide range of science and engineering problems. These applications include climate change, fusion, material science, structural response, nanomaterials, biology, catalysis, combustion and astrophysics. This

discuss the history of massively parallel processing (MPP) systems that influenced the development of the Red Storm architecture and enumerate the key characteristics instrumental in its success. In the following section, we describe the hardware components of the architecture and the evolution of the Red Storm machine at Sandia. Following that, the software environment is presented, with a focus on the important factors that enabled scalability and performance across successive generations of hardware. We continue with a discussion of the Cray XT product line, and then provide several examples of application performance on the Sandia Red Storm system and Cray XT systems at Oak Ridge National Laboratory. The final section summarizes the major contributions of this chapter.

RED STORM ARCHITECTURE

Experience and Influences

The Red Storm architecture grew out of the experience gained during Sandia's long history of using and operating large-scale parallel computers. Sandia's experience began with the first 1024-processor nCUBE-10 computer system in 1987. It continued with a 16 thousand-processor Thinking Machines CM2, two 1024-processor nCUBE2s, a 128-processor Intel iPSC/2, and a 128-processor Intel iPSC/860. All of these first-generation machines used hypercube network fabric topolo-

Related Content

Structural Outlooks for the OTIS-Arrangement Network

Ahmad Awwad, Jehad Al-Sadi, Bassam Haddad and Ahmad Kayed (2011). *International Journal of Grid and High Performance Computing* (pp. 59-68).

www.igi-global.com/article/structural-outlooks-otis-arrangement-network/54196

Towards a More Scalable Schema Matching: A Novel Approach

Sana Sellami, Aïcha-Nabila Benharkat and Youssef Amghar (2010). *International Journal of Distributed Systems and Technologies* (pp. 17-39).

www.igi-global.com/article/towards-more-scalable-schema-matching/39040

Modeling Scalable Grid Information Services with Colored Petri Nets

Vijay Sahota, Maozhen Li and Marios Hadjinicolaou (2010). *International Journal of Grid and High Performance Computing* (pp. 51-68).

www.igi-global.com/article/modeling-scalable-grid-information-services/38978

Balanced Job Scheduling Based on Ant Algorithm for Grid Network

Nikolaos Preve (2012). *Evolving Developments in Grid and Cloud Computing: Advancing Research* (pp. 13-30).

www.igi-global.com/chapter/balanced-job-scheduling-based-ant/61980