








Case Study: XGC1



Presenter:

Charlene Yang



Collaborators:

**Tuomas Koskela, Jack Deslippe,
Karthik Raman, Brian Friesen**

Email:


cjyang@lbl.gov

XGC1: Particle-In-Cell Simulation




PI: CS Chang (PPPL) | ECP: High-Fidelity Whole Device Modeling of Magnetically Confined Fusion Plasma

XGC1: Code Flowchart




XGC1: Code Timings




Unoptimized XGC1 Timings on 1024 Cori KNL nodes in Quad-Flat mode

XGC1: Code Profile on Roofline




ToyPush: Mini-App for Electron Sub-Cycling



1. Search for nearest 3 mesh nodes to the particle position
(for multi-mesh refinement)
2. Interpolate fields from 3 mesh points to particle position
3. Calculate force on particle from fields
4. Push particle for time step Δt

ToyPush: Baseline Profile - Timings




Unoptimized ToyPush Timings on Cori KNL in Quad-Cache mode

ToyPush: Baseline Profile - Roofline



Roofline Model shows information timings alone can not show

- Kernel Force Calculation: close to vector peak performance
- Kernel Interpolate and Search: less than scalar peak performance



- Data collected with Intel Advisor and analyzed with pyAdvisor
- Single thread rooflines on Cori KNL
- **Should focus optimization efforts on Interpolate and Search kernels**

Interpolation: Vectorization – L1 Blocking

- **veclength optimizations**

- Baseline: 2^9

Grouping: Function / Call Stack

Function / Call Stack	Clockticks ▼	Instructions Retired				
			L1 Hit Rate	L2 Hit Rate	L2 Hit Bound	L2 Miss Bound
▶ e_interpol_tri	105,271,600,000	64,954,400,000	80.8%	94.4%	36.7%	29.5%
▶ eom_eval	73,858,400,000	65,283,400,000	67.3%	99.9%	100.0%	0.8%
▶ b_interpol_analytic	60,141,200,000	23,109,800,000	90.3%	100.0%	4.2%	0.0%
▶ _intel_mic_avx512f_memset	35,288,400,000	3,441,200,000	42.1%	100.0%	0.8%	0.0%
▶ rk4_push	20,528,200,000	14,898,800,000	31.9%	100.0%	100.0%	0.0%

Low L1 Hit Rate,
L2 Hit Bound

- Optimized: 2^6

Grouping: Function / Call Stack

Function / Call Stack	Clockticks ▼	Instructions Retired				
			L1 Hit Rate	L2 Hit Rate	L2 Hit Bound	L2 Miss Bound
▶ e_interpol_tri	97,042,400,000	76,687,800,000	99.4%	100.0%	0.9%	0.0%
▶ eom_eval	66,556,000,000	67,110,400,000	99.0%	100.0%	3.3%	0.0%
▶ b_interpol_analytic	16,360,400,000	23,641,800,000	99.3%	100.0%	0.3%	0.0%
▶ proc_reg_read	14,984,200,000	75,600,000	100.0%	0.0%	0.0%	0.0%
▶ rk4_push	14,954,800,000	19,702,200,000	98.5%	100.0%	24.8%	0.0%

High L1 Hit Rate

~1.5x improvement (MCDRAM Flat); ~2x improvement (DDR Flat)

Interpolation: Vectorization - Memory Access



Problems:

- Field data is stored on grid nodes, particles access nearest 3 grid nodes **indirectly** via triangle index.
`efield(j, tri(i, itri(iv)))`
- Interpolation loop is vectorized but **inefficiently** because of gather loads

18 Gathers per loop iteration
(3 nodes x 3 components x 2)

Intel Compiler Vectorization Report

LOOP BEGIN at interpolate_aos.F90(67,48)
reference itri(iv) has unaligned access
reference y(iv,1) has unaligned access
reference y(iv,3) has unaligned access
reference evec(iv,icomp) has unaligned access
reference evec(iv,icomp) has unaligned access

.....

irregularly indexed load was generated for the variable `<grid_mapping_(1,3,itri(iv))>`, 64-bit indexed, part of index is read from memory

.....

LOOP WAS VECTORIZED

unmasked unaligned unit stride loads: 6
unmasked unaligned unit stride stores: 3
unmasked indexed (or gather) loads: 18

.....

Interpolation: Vectorization - Memory Access

Optimizations:

- Group particles that access the same triangle together, access grid nodes **directly** with a scalar index
- Single mesh: Trivial
- Multiple mesh: Feasible for number of particles $\gg$ number of grid nodes
- **Align arrays** during compile time.

Intel Compiler Vectorization Report

```
LOOP BEGIN at
interpolate_aos.F90(72,51)
reference y(iv,1) has aligned access
reference y(iv,3) has aligned access
reference evec(iv, icip) has aligned access
....
SIMD LOOP WAS VECTORIZED
....
unmasked aligned unit stride loads: 5
unmasked aligned unit stride stores: 3
....
```

~1.6x improvement

Interpolation: Vectorization – memset



Problem:

- Initialization of large arrays with `avx512_memset` at every time step before entering vector loop becomes memory bandwidth bound.

Intel Compiler Vectorization Report

LOOP BEGIN at interpolate_aos.F90(57,5)

memset generated

loop was not vectorized:

loop was transformed to memset or memcpy


LOOP END

Optimizations:

- Initialize array inside the vector loop (if you can)
- Use threads for initialization

~5% improvement
Higher if no. of particle increases

Interpolation: Optimization Path on Roofline



- Baseline Case (w/ Indirect access)
- ▲ Replace Indirect Access with Scalar Access
- Optimize Vector Length
- ★ Access Grid Data in Scalar Chunks

- Kernel moved to compute bound regime
- AI increased due to memory access pattern change
- Peak compute performance is nearly reached

Search: Vectorization – ‘cycle’ + SIMD



Problems:

- Multiple exits due to ‘cycle’ statement prevents vectorization
- Assumed read after write (RAW) dependency prevent vectorization

Optimization:

- Replace exit condition with a logical mask
- Vectorize with omp simd directive, declare private arrays simd private

Intel Compiler Vectorization Report

LOOP BEGIN at search.F90(62,8)


loop was not vectorized: loop with multiple exits cannot be vectorized unless it meets search loop idiom criteria

LOOP BEGIN at search.F90(66,8)

reference y(iv,1) has aligned access
reference y(iv,3) has aligned access
reference id(iv) has aligned access
reference continue_search(iv) has aligned access
data layout of a private variable bc_coords was optimized, converted to SoA
OpenMP SIMD LOOP WAS VECTORIZED
unmasked aligned unit stride loads: 4
unmasked aligned unit stride stores: 1

1.5x improvement

Search: Optimization Path on Roofline




- Baseline Case
- Force SIMD Vectorization
- ★ Eliminate Multiple Exits

- Forcing SIMD vectorization doesn't work initially due to multiple exits
- Once exits are eliminated, code vectorizes

ToyPush: Optimized Performance




- **Force Kernel:** still good performance, close to vector add peak
- **Interpolate Kernel:** 10x speedup, closer to vector FMA peak
- **Search Kernel:** 3x speedup, closer to L2 bandwidth roof




- Code is available at <https://github.com/tkoskela/toypush>

XGC1: Optimization Speedups (WIP)



XGC1 Timings on 1024 Cori KNL nodes in Quad-Flat mode

XGC1: Optimized Performance on Roofline



- XGC1 -> ToyPush -> XGC1
- **All these have been very helpful!**
 - Intel compiler report
 - Intel VTune for general performance analysis
 - Intel Advisor for vectorization analysis
 - Roofline performance model